## Guidelines for Emergency Management of Fever or Acute Illness in Children with Sickle Cell Disease

### **Treat Promptly!**



# Atlantic Provinces Pediatric Hematology Oncology Network Réseau d'Oncologie Hématologie Pédiatriques des Provinces Atlantiques (APPHON/ROHPPA)

Version Date: June 2017

#### **Treat Promptly!**

Initial treatment of suspected sepsis

**Fever (≥ 38.3°C orally/tympanic or ≥ 37.8°C axillary)** in Sickle Cell children warrants **immediate** medical intervention in the following order:

- 1. Stabilize child
- 2. Draw CBC, diff, lactate, blood culture stat within 30 mins
- 3. Establish vascular access
- 4. Start antibiotics within 60 mins
  - a. Do not wait for CBC results
  - b. Refer to pre-printed orders and algorithm for guidance
- 5. Referral to nearest emergency department as clinical deterioration can be sudden

#### START ANTIBIOTICS IMMEDIATELY!

#### **Antibiotic Treatment**

#### For patients > 2 months old:

Ceftriaxone – 100 mg/kg/day IV q24h (maximum 2 g/dose)

If patient is suspected to have **meningitis**, add:

Vancomycin – 50 mg/kg/day IV q6h (maximum 1 g/dose)

If patient is suspected to have mycoplasma, add:

Clarithromycin – 15 mg/kg/day po BID (maximum 500mg/dose)

For patients < 2 months old: See Sickle Cell Fever Orders

## Call PediatricHaematologist-Oncologist On-Call within 1 HOUR of presentation to discuss management

#### 902-470-8888 or 1-888-470-5888 (toll free)

Name of Tertiary Centre:
Phone number:
For further information see the Sickle Cell Guideline on the APPHON/ROHPPA website: <a href="http://www.apphon-rohppa.com/Guidelines">http://www.apphon-rohppa.com/Guidelines</a>
Please Fax assessment and treatment documents to 902-470-7208
Definitions
<b>Fever</b> and/or <b>acute illness</b> in children and youth with Sickle Cell Disease can be <i>life threatening</i> and must be <i>treated promptly</i> . Overwhelming bacterial infection is a significant risk in patients with no splenic function or absent spleen (asplenia) or a dysfunctional spleen (functional asplenia/hyposplenia).
For Sickle Cell Pain Crisis or Acute Chest syndrome see the APPHON/ROHPPA website: <a href="http://www.apphon-rohppa.com/en/guidelines/sickle-cell-guidelines">http://www.apphon-rohppa.com/en/guidelines/sickle-cell-guidelines</a> → Sickle Cell guideline and Preprinted Orders
Patient Information
Name:
DOB:(dd/mm/yyyy)
Diagnosis:
Co-morbidities:
Allergies:
Antibiotic Prophylaxis:

Other Medications:

Date: \_\_\_\_\_(dd/mm/yyyy)

Prescriber: \_\_\_\_\_